

SmartDip

WIRELESS

Effortlessly monitor your fuel levels with Wireless SmartDip. Improve efficiency, reduce waste, and save time and money with real-time data access.



SMARTFILL'S SOLUTION FOR WIRELESS REMOTE TANK LEVEL MONITORING
SUITED TO TANKS OF ALL SIZES!

Simple Tank Level Monitoring


Say "Hello" to fuel monitoring, made easy!

Easy to Install:

- Powered by an internal battery (No digging trenches for cable runs to get power)
- Solar power automatically recharges the battery (no leads needed)
- Always connected to the 4G network (No manual dips!)
- Designed to fit into existing fuel tanks (No fabrication needed)
- Pre-wired probe to suit the size of your tank (No wiring!)

Easy to Use:

- Configured using our web portal on a single page
- Updates the level readings on the web portal at set intervals
- Track your fuel levels with graphs and stay informed from anywhere
- 24/7 Support is available from our world-class team so you're never without help



Designed for all tanks - big and small



IBC FUEL TANKS



REMOTE GENSETS



5KL TANKS



30KL TANKS



100KL SELF BUNDED

The World's Easiest Wireless ATG

Sick of running out of fuel?

Tired of chasing people for up-to-date tank levels?

Automate your tank dips and view your tank levels from anywhere in the world.

Even your fuel supplier can have access, enabling you to utilise vendor managed inventory.

Enter Wireless SmartDip, the marketleading tank-level monitoring solution that promises to make dry tanks a thing of the past.

Wireless SmartDip's set-and-forget automatic gauging system and lightweight design can be **installed in less than five minutes**, without drilling holes, running wires, or draining your fuel tank.

Once installed, you'll have access to the SmartFill Web Portal, which offers unrivaled oversight of your tank data, including forecasting for future deliveries.

Plus, Wireless SmartDip's alert system will notify you when fuel levels are low, giving you plenty of time to restock.

And if you forget to restock, Wireless SmartDip can even contact your fuel supplier for you!


With Wireless SmartDip, you'll never have to worry about dry tanks again. No more unexpected downtime, lost productivity, or added stress.

Try Wireless SmartDip today and experience the **peace of mind** that comes with hassle-free fuel management.



SmartFill Website

Of course, it's easy to access all your tank data and alert settings.



Set automatic email alerts for:

- High Level Alert
- Low Level Alert
- Daily Tank Levels

View your tank levels in graph or tabular form. Export or view history.

The Perfect Solution for Vendor Managed Inventory

- Simple, secure connection over 3G/4G network
- See tank levels for all of your customers in one place
- Calculated fuel usage forecasting based on previous behaviours
- Set and forget, lasts 5+ years* without any maintenance needed
- Unlimited access to our API for integrated tank data
- Next-Gen website providing up to date information in multiple formats
- Automated tank level email alerts to ensure your customer never runs out of fuel
- Need an update now? Press a button and have a new reading instantly!

Specifications

Tank Height 0 - 10m	Long Term Stability: $\pm 0.2\%$ FS/Year
Fuel Types: Suitable for use with diesel, AdBlue, DEF and other non-hazardous liquids	Operating Temp Range: -25 °C to 70 °C
Accuracy: 0.25% FS (Max) 0.5% FS (Typical)	Cable: Polyethylene Ventilated Cable
Battery Life: 5 years*, Longer when exposed to daily sunlight	Tank Thread Size: 2" BSP or 2" NPT
Dips per Day: 1-96 (can be changed)	Solar Power: 1.25W solar panel

*Based on one dip per day.



Typical Installation

Installation Into Tank

